

Carnow, Conibear & Assoc., Ltd.
Environmental Consulting Services
600 W. Van Buren St., Suite 500, Chicago, IL 60607
t: 312.782.4486 f: 312.782.5145
www.ccalt.com




Radon Measurement Survey Report

Site:

East Aurora High School
500 Tomcat Lane
Aurora, Illinois 60505

Survey Dates: May 14, 2018 thru May 17, 2018



Prepared For:

East Aurora School District 131
417 Fifth Street
Aurora, Illinois 60505

Carnow Conibear Project No. A146000137

Carnow, Conibear & Assoc., Ltd.
Environmental Consulting Services
600 W. Van Buren St., Suite 500, Chicago, IL 60607
t: 312.782.4486 f: 312.782.5145
www.ccaltld.com



Radon Measurement Survey Report

Site:

**East Aurora High School
500 Tomcat Lane
Aurora, Illinois 60505**

Surveyed by:



Nicole Bennett
Radon Measurement Professional

Report by:



Nicole Bennett
Radon Measurement Professional

Reviewed by:



Derek Lantry
Director, Technical Services

Report Issued: July 5, 2018

TABLE OF CONTENTS

1.0	EXECUTIVE SUMMARY	1
2.0	BACKGROUND.....	2
3.0	SCOPE OF WORK.....	3
4.0	METHODOLOGY	4
5.0	SUMMARY OF RESULTS.....	5
6.0	CONCLUSIONS	23
7.0	LIMITATIONS AND CONDITIONS	24

APPENDICES

- Appendix A Floor Plans – Radon Sampling Locations
- Appendix B Laboratory Analysis Report
- Appendix C Radon Measurement Professional License

1.0 EXECUTIVE SUMMARY

Carnow, Conibear, & Assoc., Ltd. (Carnow Conibear) was contracted by East Aurora School District 131 to perform a radon measurement survey at the East Aurora High School located at 500 Tomcat Lane in Aurora, Illinois. The survey was initiated on May 14, 2018 and completed on May 17, 2018 by Nicole Bennett, an Illinois Emergency Management Agency (IEMA) licensed Radon Measurement Professional (License No. RNI2016213). The scope of work included short term (two to four day) radon measurements in frequently occupied rooms with substantial ground contact. The radon sampling was performed following IEMA and the United States Environmental Protection Agency (USEPA) testing protocols for commercial and school radon measurements, the radon device manufacturer's recommendations, and Carnow Conibear's Quality Assurance Plan.

A total of three hundred thirty-three (333) radon test devices were deployed including two hundred ninety-one (291) single devices, twenty-six (26) duplicates, and sixteen (16) blanks. Activated radon charcoal devices manufactured by Air Chek Inc. were utilized during the radon survey. The activated charcoal devices are passive devices containing activated carbon to measure radon. Testing was initiated on May 14, 2018 and completed on May 17, 2018.

Radon measurement results ranged from less than (<) 0.3 to 3.7 PicoCuries per liter (pCi/L). The radon measurement results indicate areas tested were below the EPA and IEMA recommended action level of 4.0 pCi/L during the time of the test. The average indoor radon concentrations are 1.3 pCi/L nationwide. The average outdoor radon concentration is 0.4 pCi/L.

Based on the radon measurement results Carnow Conibear recommends routine follow-up radon measurement survey every three (3) years, preferably at different seasonal times of the year. Additional radon testing is recommended if significant changes are made to the building's structural or mechanical components.

2.0 BACKGROUND

Radon is a naturally occurring, radioactive, colorless, odorless, tasteless gas produced from the decay of uranium and radium found in most soil and rock. Natural soils and rock such as granites, shales, and corals, contaminated soils from uranium processing mills, contaminated building materials, and groundwater water supplies directly from wells are a few common sources of radon. Radon can be found at some level in all indoor and outdoor air. Unlike most airborne contaminants radon is chemically inert, or chemically inactive. As a result, it is not chemically bound or attached to other materials and can move easily through porous materials or void space.

Typically, most radon gas is generated from the surrounding soil or bedrock, pulled through the soil or rock by air pressure differentials and enters the structure. However, radon gas can come from water, outside air, or contaminated building materials. The strength of the radon source has the biggest impact on indoor radon concentrations. The route of entry (i.e. through holes in the foundation), the building's ventilation rate, foundation type and differences in soils beneath the building can affect the indoor radon concentrations.

The primary health effect attributed to radon exposure is lung cancer. The World Health Organization (WHO), the National Academy of Sciences, the US Department of Health and Human Services, and the EPA classify radon as known human carcinogen. The EPA states radon is the largest source of radiation exposure and risk to the general public. When radon and products of radon decay are inhaled, decay can occur while in contact with the lung prior to being expelled. Because radon is chemically inert, most inhaled radon is rapidly exhaled. However, the inhaled decay products are readily deposited in the lungs, release energy in the form of radiation causing lung tissue damage and consequently increase the risk of lung cancer.

Radon concentrations in air are commonly expressed in picoCuries per liter (pCi/L) in the United States. An EPA national residential radon survey completed in 1991, determined the average indoor radon level is 1.3 pCi/L and the average outdoor level is about 0.4 pCi/L. The National Academy of Sciences' (NAS) latest report on radon, the Biological Effects of Ionizing Radiation (BEIR) VI Report (1999) estimates radon in indoor air causes about 21,000 lung cancer deaths each year in the United States. The EPA states that any level of radon carries some risk, there are no safe levels, and has established an action level of 4.0 pCi/L.

3.0 SCOPE OF WORK

Carnow, Conibear was contracted by East Aurora School District 131 to perform a radon survey at the East Aurora High School located at 500 Tomcat Lane in Aurora, Illinois.

The scope of work included short term radon measurements in frequently occupied rooms with substantial ground contact. The duration of short term measurements can range from two (2) to four (4) days. Prior to placement of the radon measurement devices a Quality Assurance Project Plan (QAPP) was developed and general observations were performed to verify test conditions, identify device placement locations, and determine structural and mechanical building components. The QAPP was created to document and describe the necessary quality assurance procedures, quality control activities, and provide a clear, concise, and complete plan for the radon measurement operations. Observations of test conditions verified closed building conditions were maintained at a minimum of twelve (12) hours prior to testing and throughout the measurement period. Closed building conditions are necessary for short term radon measurements in order to stabilize the radon and radon decay product concentrations and increase the reproducibility of the measurement. Closed building conditions require windows and exterior doors on all levels be kept closed (except for normal entry and exit) during the measurement period. Closed building conditions also require the normal operation of heating, ventilating, and air conditions systems.

Radon test devices were deployed in two hundred ninety-one (291) locations. In addition, twenty-six (26) duplicates, and sixteen (16) blanks, were utilized to measure precision and bias, and ensure quality data. Radon test devices were documented in a permanent log noting the address of the building measured, a diagram of the test area noting the exact locations of all measurement devices deployed, exact start and stop times of the measurement period, a description of the device used and serial number, and the name and IEMA license number of the Radon Measurement Professional. At the end of the measurement period the radon test devices were retrieved, resealed, and mailed to the laboratory for analysis.

The radon measurement results are reported in picoCurie per liter. A picoCurie per liter is 2.22 atomic radon disintegrations per minute for each liter of air. The results of the radon measurements are interpreted to determine the need for additional testing and assess the quality and confidence of the measurement data. Typically, follow-up measurements will be recommended in every room with results greater than 4.0 pCi/L. The recommendation to mitigate elevated levels of radon shall not be based on the initial measurement results.

4.0 METHODOLOGY

The radon testing was performed following requirements set forth by the IEMA, USEPA, and Carnow Conibear's Quality Assurance Plan. The radon measurement survey consisted of several phases. The initial phase consisted of preliminary testing protocol, including an explanation of services, instructions to comply with closed building conditions, the development of the Quality Assurance Project Plan, and determination of the testing period. Next, general observations of the building were performed to verify test conditions, identify device placement locations, and determine structural and mechanical building components.

The measurement phase included the radon testing device placement and retrieval. Activated radon charcoal devices manufactured by Air Chek Inc. were utilized during this radon survey. The activated charcoal devices are passive devices containing activated carbon to measure radon. Radon test devices were placed in such a way to limit unintentional interference from building occupants. The measurement devices were placed at least three feet from doors, windows to the outside, at least one foot from exterior walls, at least four feet from heat sources, out of the direct flow of ventilation ducts and sunlight, and suspended in the general breathing zone. Duplicate tests were conducted for a minimum of 10% of the total radon test devices deployed to measure precision. Field blanks were submitted for a minimum of 5% of the total number of radon test devices deployed to measure background gamma radiation. Spike tests are submitted for a minimum of three per 100 radon test devices or a minimum of three per year to measure laboratory accuracy. A total of three hundred thirty-three (333) radon test devices were deployed including two hundred ninety-one (291) single devices, twenty-six (26) duplicates, and sixteen (16) blanks. At the end of the measurement period the radon measurement devices were retrieved, resealed, and shipped overnight to Air Chek Inc. for analysis. Air Chek Inc. calculates the radon concentration after measuring the gamma activity by the radon decay products produced from the random decay of the collected radon. The final phase consisted of interpreting the results and an assessment of the quality and confidence of the measurement data.

5.0 SUMMARY OF RESULTS

Table 1.0 Radon Measurement Device Results identify all the radon measurement devices deployed and the reported radon results. The radon measurement results are reported in picoCurie per liter (pCi/L).

Radon measurement results were below 4.0pCi/L. The radon measurement results indicate areas tested were below the EPA and IEMA recommended action level of 4.0 pCi/L during the time of the test. No radon mitigation systems were observed in the building. Additionally, the following testing abnormalities were noted during the radon measurement interval.

- The device (serial #904247) placed in Classroom 519 was missing at the time of retrieval
- The device (serial #9044254) placed in Boys PE Locker Room 456 was missing at the time of retrieval
- The device (serial #9044289) placed in Main Gymnasium 470 was missing at the time of retrieval
- The device (serial #9044792) placed in Classroom 169 was missing at the time of retrieval
- The device (serial #9045080) placed in Room B081I was inaccessible at the time of retrieval
- The device (serial #9045081) placed in Room B081j was inaccessible at the time of retrieval
- The device (serial #9044449) placed in Classroom 262 was missing at the time of retrieval
- The device (serial #9044452) placed in Classroom 273 was missing at the time of retrieval

Table 1.0 Radon Measurement Device Results

East Aurora High School -
500 Tomcat Lane
Aurora, Illinois 60505

Device Location	Device Serial #	Start Date	Start Time	Stop Date	Stop Time	Result (pCi/L)	Comments
Classroom 501	9044237	5/14/2018	3:42 PM	5/17/2018	12:20 PM	0.7	
Classroom 503	9044238	5/14/2018	3:43 PM	5/17/2018	12:21 PM	< 0.3	
Classroom 505	9044239	5/14/2018	3:44 PM	5/17/2018	12:22 PM	< 0.3	
Classroom 507	9044240	5/14/2018	3:44 PM	5/17/2018	12:20 PM	0.6	
Classroom 511	9044241	5/14/2018	3:45 PM	5/17/2018	12:23 PM	< 0.3	
Classroom 509	9044244	5/14/2018	3:45 PM	5/17/2018	12:23 PM	< 0.3	
Classroom 513	9044245	5/14/2018	3:46 PM	5/17/2018	12:22 PM	< 0.3	
Classroom 515	9044242	5/14/2018	3:46 PM	5/17/2018	12:20 PM	< 0.3	
Classroom 519	9044243	5/14/2018	3:47 PM	5/17/2018	---	---	Device Missing
Classroom 519	9044247	5/14/2018	3:47 PM	5/17/2018	12:21 PM	<0.3	Duplicate
Classroom 517	9044246	5/14/2018	3:47 PM	5/17/2018	12:21 PM	< 0.3	
Janitor's Closet 502	9044249	5/14/2018	3:48 PM	5/17/2018	12:22 PM	2.8	
Room 506	9044248	5/14/2018	3:50 PM	5/17/2018	12:22 PM	3.7	
Electric Room 508	9044250	5/14/2018	3:51 PM	5/17/2018	12:22 PM	3.6	
Girl's PE Locker 450	9044251	5/14/2018	3:52 PM	5/17/2018	12:24 PM	< 0.3	
Office 452	9044252	5/14/2018	3:53 PM	5/17/2018	12:30 PM	< 0.3	
Office 454	9044253	5/14/2018	4:03 PM	5/17/2018	12:29 PM	< 0.3	
Boy's PE Locker Room 456	9044254	5/14/2018	4:03 PM	5/17/2018	---	---	Device Missing
Boy's Athletic Locker Room 451	9044255	5/14/2018	4:05 PM	5/17/2018	12:30 PM	< 0.3	
Boys' Varsity Office 453	9044256	5/14/2018	4:06 PM	5/17/2018	12:29 PM	< 0.3	
Boys' Varsity Office 453	9044257	5/14/2018	4:06 PM	5/17/2018	12:29 PM	< 0.3	Duplicate RPD = 0.0%

Table 1.0 Radon Measurement Device Results

East Aurora High School -
500 Tomcat Lane
Aurora, Illinois 60505

Device Location	Device Serial #	Start Date	Start Time	Stop Date	Stop Time	Result (pCi/L)	Comments
Boy's Athletics Locker Room 455	9044258	5/14/2018	4:09 PM	5/17/2018	12:34 PM	< 0.3	
Office 469	9044259	5/14/2018	4:09 PM	5/17/2018	12:33 PM	< 0.3	
Storage 467	9044260	5/14/2018	4:11 PM	5/17/2018	12:33 PM	< 0.3	
Room 464	9044261	5/14/2018	4:15 PM	5/17/2018	12:37 PM	< 0.3	
Office 460	9044262	5/14/2018	4:17 PM	5/17/2018	12:37 PM	< 0.3	
Girl's PE Locker 459	9044263	5/14/2018	4:19 PM	5/17/2018	12:40 PM	< 0.3	
Athletic Trainer Office 462	9044264	5/14/2018	4:20 PM	5/17/2018	12:37 PM	< 0.3	
Girl's Athletics Locker 457	9044265	5/14/2018	4:21 PM	5/17/2018	12:37 PM	< 0.3	
Electric Room 405	9044266	5/14/2018	4:28 PM	5/17/2018	12:52 PM	0.5	
Driver Education Room 404	9044267	5/14/2018	4:38 PM	5/17/2018	12:53 PM	< 0.3	
Driver Education Lab Room 402	9044268	5/14/2018	4:40 PM	5/17/2018	12:53 PM	< 0.3	
Storage 403	9044269	5/14/2018	4:42 PM	5/17/2018	12:52 PM	< 0.3	
Storage 403	9044270	5/14/2018	4:42 PM	5/17/2018	12:52 PM	< 0.3	Duplicate RPD = 0.0%
Office 408	9044271	5/14/2018	4:45 PM	5/17/2018	12:50 PM	< 0.3	
Office 408A	9044272	5/14/2018	4:46 PM	5/17/2018	12:53 PM	0.6	
Office 406	9044273	5/14/2018	4:46 PM	5/17/2018	12:53 PM	< 0.3	
Office 406B	9044274	5/14/2018	4:47 PM	5/17/2018	12:52 PM	1.5	
Storage 130A	9044275	5/14/2018	4:50 PM	5/17/2018	1:09 PM	< 0.3	
Room 465	9044276	5/14/2018	4:51 PM	5/17/2018	1:27 PM	1	
Janitor's Closet 461	9044277	5/14/2018	4:53 PM	5/17/2018	1:00 PM	0.5	
MPR 407	9044278	5/14/2018	4:55 PM	5/17/2018	12:52 PM	1	
MPR 407	9044279	5/14/2018	4:56 PM	5/17/2018	12:52 PM	0.6	

Table 1.0 Radon Measurement Device Results

East Aurora High School -
500 Tomcat Lane
Aurora, Illinois 60505

Device Location	Device Serial #	Start Date	Start Time	Stop Date	Stop Time	Result (pCi/L)	Comments
MPR 407A	9044280	5/14/2018	4:58 PM	5/17/2018	12:52 PM	0.8	
Room 400A	9044281	5/14/2018	5:02 PM	5/17/2018	12:51 PM	< 0.3	
Room 400B	9044235	5/14/2018	5:05 PM	5/17/2018	12:50 PM	< 0.3	
Room 400B	9044236	5/14/2018	5:05 PM	5/17/2018	12:50 PM	< 0.3	Duplicate RPD 0.0%
MPR 407B	9044282	5/14/2018	5:06 PM	5/17/2018	1:27 PM	1.0	
MPR 407C	9044283	5/14/2018	5:07 PM	5/17/2018	12:50 PM	0.8	
Small Gymnasium 471	9044284	5/14/2018	5:10 PM	5/17/2018	1:02 PM	< 0.3	
Small Gymnasium 471	9044285	5/14/2018	5:10 PM	5/17/2018	1:02 PM	0.8	
Small Gymnasium Storage 471A	9044287	5/14/2018	5:11 PM	5/17/2018	1:02 PM	< 0.3	
Main Gymnasium 470	9044288	5/14/2018	5:12 PM	5/17/2018	1:01 PM	< 0.3	
Main Gymnasium 470	9044289	5/14/2018	5:13 PM	5/17/2018	---	---	Device Missing
Mechanical Room 471B	9044286	5/14/2018	5:14 PM	5/17/2018	1:01 PM	0.7	
Bicycle Room	9044290	5/14/2018	5:25 PM	5/17/2018	1:45 PM	< 0.3	
Bicycle Room	9044291	5/14/2018	5:25 PM	5/17/2018	1:45 PM	< 0.3	Duplicate RPD = 0.0%
Gymnasium 1000 (West)	9044292	5/14/2018	5:25 PM	5/17/2018	1:31 PM	< 0.3	
Gymnasium 1000 (West)	9044293	5/14/2018	5:26 PM	5/17/2018	1:32 PM	< 0.3	
Gymnasium 1000 (Center)	9044294	5/14/2018	5:27 PM	5/17/2018	1:32 PM	< 0.3	
Gymnasium 1000 (Center)	9044295	5/14/2018	5:28 PM	5/17/2018	1:32 PM	< 0.3	
Gymnasium 1000 (East)	9044296	5/14/2018	5:29 PM	5/17/2018	1:32 PM	< 0.3	
Gymnasium 1000 (East)	9044297	5/14/2018	5:30 PM	5/17/2018	1:32 PM	< 0.3	
Marksmanship Range 1012	9044298	5/14/2018	5:31 PM	5/17/2018	1:39 PM	1.1	

Table 1.0 Radon Measurement Device Results

East Aurora High School -
500 Tomcat Lane
Aurora, Illinois 60505

Device Location	Device Serial #	Start Date	Start Time	Stop Date	Stop Time	Result (pCi/L)	Comments
Lounge 1012A	9044299	5/14/2018	5:33 PM	5/17/2018	1:39 PM	1.3	
Lounge 1012A	9044300	5/14/2018	5:33 PM	5/17/2018	1:39 PM	1.1	Duplicate RPD = 16.7%
Storage 1012D	9044701	5/14/2018	5:35 PM	5/17/2018	1:40 PM	2.6	
Ship's Mess 1012E	9044702	5/14/2018	5:35 PM	5/17/2018	1:40 PM	1.2	
Room 1013	9044703	5/14/2018	5:36 PM	5/17/2018	1:41 PM	1.2	
Room 1014	9044704	5/14/2018	5:38 PM	5/17/2018	1:42 PM	0.8	
Office 1015	9044705	5/14/2018	5:39 PM	5/17/2018	1:42 PM	1	
Vault 1012B	9044706	5/14/2018	5:40 PM	5/17/2018	1:39 PM	2.7	
Classroom 1017	9044707	5/14/2018	5:45 PM	5/17/2018	2:01 PM	< 0.3	
Classroom 1018	9044708	5/14/2018	5:46 PM	5/17/2018	2:01 PM	0.6	
Classroom 1019	9044709	5/14/2018	5:46 PM	5/17/2018	2:01 PM	0.6	
Office 1020	9044710	5/14/2018	5:47 PM	5/17/2018	2:09 PM	0.7	
Workout Room 1022	9044711	5/14/2018	5:49 PM	5/17/2018	2:09 PM	1.3	
Administration Office 1025	9044712	5/14/2018	5:50 PM	5/17/2018	2:05 PM	1.0	
Office 1028	9044713	5/14/2018	5:51 PM	5/17/2018	2:05 PM	1.4	
Office 1028	9044714	5/14/2018	5:51 PM	5/17/2018	2:05 PM	1.3	Duplicate RPD = 7.4%
Office 1026	9044715	5/14/2018	5:52 PM	5/17/2018	2:04 PM	1.3	
Simulation Room 1033B	9044716	5/14/2018	5:54 PM	5/17/2018	2:09 PM	< 0.3	
Simulation Room 1033A	9044717	5/14/2018	5:55 PM	5/17/2018	2:09 PM	0.8	
Will Call/Ticket Room	9044718	5/14/2018	5:57 PM	5/17/2018	1:48 PM	0.6	
Concession 1008	9044719	5/14/2018	5:58 PM	5/17/2018	1:47 PM	< 0.3	

Table 1.0 Radon Measurement Device Results

East Aurora High School -
500 Tomcat Lane
Aurora, Illinois 60505

Device Location	Device Serial #	Start Date	Start Time	Stop Date	Stop Time	Result (pCi/L)	Comments
Concession 1009	9044720	5/14/2018	5:59 PM	5/17/2018	1:57 PM	< 0.3	
Storage 1003	9044721	5/14/2018	6:00 PM	5/17/2018	1:35 PM	< 0.3	
Gymnasium Storage 1001	9044722	5/14/2018	6:02 PM	5/17/2018	1:58 PM	< 0.3	
Room 103	9044723	5/14/2018	6:09 PM	5/17/2018	2:27 PM	< 0.3	
Room 103	9044724	5/14/2018	6:09 PM	5/17/2018	2:27 PM	< 0.3	
Room 103C	9044725	5/14/2018	6:10 PM	5/17/2018	2:27 PM	< 0.3	
Room 103C	9044726	5/14/2018	6:10 PM	5/17/2018	2:26 PM	< 0.3	Duplicate RPD = 0.0%
Room 103D	9044727	5/14/2018	6:10 PM	5/17/2018	2:26 PM	< 0.3	
Room 103E	9044728	5/14/2018	6:10 PM	5/17/2018	2:26 PM	< 0.3	
Teacher's Lounge 111	9044729	5/14/2018	6:12 PM	5/17/2018	2:30 PM	< 0.3	
Nurse's Office 098	9044730	5/14/2018	6:15 PM	5/17/2018	2:35 PM	0.6	
Nurse's Office 098A	9044731	5/14/2018	6:17 PM	5/17/2018	2:35 PM	0.5	
Nurse's Office 095B	9044733	5/14/2018	6:22 PM	5/17/2018	2:39 PM	0.6	
Nurse's Office 095	9044732	5/14/2018	6:20 PM	5/17/2018	2:37 PM	0.6	
Nurse's Office 095D	9044734	5/14/2018	6:23 PM	5/17/2018	2:38 PM	0.6	
Nurse's Office 095G	9044735	5/14/2018	6:24 PM	5/17/2018	2:38 PM	< 0.3	
Nurse's Office 095F	9044736	5/14/2018	6:24 PM	5/17/2018	2:38 PM	< 0.3	
Nurse's Office 095E	9044737	5/14/2018	6:25 PM	5/17/2018	2:37 PM	< 0.3	
Room 094	9044738	5/14/2018	6:26 PM	5/17/2018	2:34 PM	< 0.3	
Main Office 091	9044739	5/14/2018	6:28 PM	5/17/2018	2:40 PM	< 0.3	
Main Office 091	9044740	5/14/2018	6:28 PM	5/17/2018	2:40 PM	< 0.3	Duplicate RPD = 0.0%

Table 1.0 Radon Measurement Device Results

East Aurora High School -
500 Tomcat Lane
Aurora, Illinois 60505

Device Location	Device Serial #	Start Date	Start Time	Stop Date	Stop Time	Result (pCi/L)	Comments
Main Office 091B	9044741	5/14/2018	6:29 PM	5/17/2018	2:41 PM	< 0.3	
Main Office 091C	9044742	5/14/2018	6:30 PM	5/17/2018	2:41 PM	< 0.3	
Conference Room 091	9044743	5/14/2018	6:31 PM	5/17/2018	2:41 PM	0.7	
Student Services Office 092	9044744	5/14/2018	6:34 PM	5/17/2018	2:46 PM	< 0.3	
Office 092A	9044745	5/14/2018	6:35 PM	5/17/2018	2:45 PM	< 0.3	
Office 092B	9044746	5/14/2018	6:36 PM	5/17/2018	2:44 PM	< 0.3	
Office 092B	9044747	5/14/2018	6:36 PM	5/17/2018	2:44 PM	< 0.3	Duplicate RPD = 0.0%
Office 092C	9044748	5/14/2018	6:36 PM	5/17/2018	2:45 PM	< 0.3	
Office 092D	9044749	5/14/2018	6:37 PM	5/17/2018	2:46 PM	< 0.3	
Closet 091C	9044750	5/14/2018	6:38 PM	5/17/2018	2:47 PM	< 0.3	
Room 089	9044751	5/14/2018	6:40 PM	5/17/2018	2:51 PM	< 0.3	
Room 089F	9044752	5/14/2018	6:41 PM	5/17/2018	2:52 PM	< 0.3	
Room 089C	9044753	5/14/2018	6:43 PM	5/17/2018	2:54 PM	< 0.3	
Room 089D	9044755	5/14/2018	6:45 PM	5/17/2018	2:54 PM	< 0.3	
Room 089E	9044754	5/14/2018	6:45 PM	5/17/2018	2:53 PM	< 0.3	
Room 089B	9044756	5/14/2018	6:45 PM	5/17/2018	2:55 PM	< 0.3	
Room 089A	9044757	5/14/2018	6:47 PM	5/17/2018	2:55 PM	< 0.3	
Mechanical Room M1	9044758	5/14/2018	6:50 PM	5/17/2018	2:56 PM	< 0.3	
Room 51	9044759	5/14/2018	6:50 PM	5/17/2018	2:56 PM	0.6	
Room 189	9044760	5/14/2018	6:52 PM	5/17/2018	2:58 PM	< 0.3	
Room 191	9044761	5/14/2018	6:53 PM	5/17/2018	2:57 PM	< 0.3	
Little Theatre 199B	9044762	5/14/2018	6:54 PM	5/17/2018	2:58 PM	< 0.3	

Table 1.0 Radon Measurement Device Results

East Aurora High School -
500 Tomcat Lane
Aurora, Illinois 60505

Device Location	Device Serial #	Start Date	Start Time	Stop Date	Stop Time	Result (pCi/L)	Comments
Little Theatre 199A	9044763	5/14/2018	6:55 PM	5/17/2018	2:59 PM	< 0.3	
Little Theatre Storage 190	9044764	5/14/2018	6:56 PM	5/17/2018	3:03 PM	< 0.3	
Storage 190A	9044765	5/14/2018	6:58 PM	5/17/2018	3:05 PM	< 0.3	
Storage 190A	9044766	5/14/2018	6:58 PM	5/17/2018	3:05 PM	< 0.3	Duplicate RPD = 0.0%
Classroom 188	9044767	5/14/2018	6:59 PM	5/17/2018	3:10 PM	< 0.3	
Classroom 186	9044768	5/14/2018	7:00 PM	5/17/2018	3:10 PM	< 0.3	
Classroom 187	9044769	5/14/2018	7:02 PM	5/17/2018	3:15 PM	< 0.3	
Classroom 185	9044770	5/14/2018	7:03 PM	5/17/2018	3:15 PM	< 0.3	
Classroom 184	9044771	5/14/2018	7:03 PM	5/17/2018	3:10 PM	< 0.3	
Classroom 182	9044772	5/14/2018	7:04 PM	5/17/2018	3:14 PM	< 0.3	
Classroom 182	9044773	5/14/2018	7:04 PM	5/17/2018	3:14 PM	< 0.3	Duplicate RPD = 0.0%
Classroom 183	9044774	5/14/2018	7:05 PM	5/17/2018	3:12 PM	< 0.3	
Classroom 181	9044775	5/14/2018	7:06 PM	5/17/2018	3:11 PM	< 0.3	
Classroom 180	9044776	5/14/2018	7:07 PM	5/17/2018	3:11 PM	< 0.3	
Classroom 178	9044777	5/14/2018	7:07 PM	5/17/2018	3:12 PM	< 0.3	
Classroom 179	9044778	5/14/2018	7:08 PM	5/17/2018	3:09 PM	< 0.3	
Room 177	9044779	5/14/2018	7:08 PM	5/17/2018	3:15 PM	< 0.3	
Classroom 176	9044780	5/14/2018	7:09 PM	5/17/2018	3:12 PM	< 0.3	
Classroom 175	9044781	5/14/2018	7:10 PM	5/17/2018	3:15 PM	< 0.3	
Classroom 174	9044782	5/14/2018	7:10 PM	5/17/2018	3:16 PM	< 0.3	
Classroom 172	9044783	5/14/2018	7:11 PM	5/17/2018	3:16 PM	< 0.3	

Table 1.0 Radon Measurement Device Results

East Aurora High School -
500 Tomcat Lane
Aurora, Illinois 60505

Device Location	Device Serial #	Start Date	Start Time	Stop Date	Stop Time	Result (pCi/L)	Comments
Classroom 172	9044784	5/14/2018	7:11 PM	5/17/2018	3:16 PM	< 0.3	Duplicate RPD = 0.0%
Closet 173A	9044785	5/14/2018	7:11 PM	5/17/2018	3:18 PM	< 0.3	
Room 173	9044786	5/14/2018	7:12 PM	5/17/2018	3:18 PM	< 0.3	
Closet 173B	9044787	5/14/2018	7:13 PM	5/17/2018	3:18 PM	< 0.3	
Closet 173C	9044788	5/14/2018	7:13 PM	5/17/2018	3:18 PM	< 0.3	
Closet 173D	9044789	5/14/2018	7:16 PM	5/17/2018	3:15 PM	< 0.3	
Mechanical Room 171	9044790	5/14/2018	7:17 PM	5/17/2018	3:19 PM	< 0.3	
Classroom 170	9044791	5/14/2018	7:20 PM	5/17/2018	3:19 PM	< 0.3	
Classroom 169	9044792	5/14/2018	7:21 PM	5/17/2018	---	---	Device Missing
Classroom 169B	9044793	5/14/2018	7:22 PM	5/17/2018	3:19 PM	< 0.3	
Classroom 169A	9044794	5/14/2018	7:23 PM	5/17/2018	3:20 PM	< 0.3	
Classroom 168	9044795	5/14/2018	7:24 PM	5/17/2018	3:21 PM	< 0.3	
Classroom 167	9044796	5/14/2018	7:26 PM	5/17/2018	3:22 PM	< 0.3	
Classroom 166	9044797	5/14/2018	7:28 PM	5/17/2018	3:22 PM	0.6	
Classroom 165	9044798	5/14/2018	7:28 PM	5/17/2018	3:22 PM	0.6	
Classroom 164	9044799	5/14/2018	7:29 PM	5/17/2018	3:23 PM	< 0.3	
Classroom 163	9044800	5/14/2018	7:30 PM	5/17/2018	3:23 PM	< 0.3	
Classroom 162	9045001	5/14/2018	7:32 PM	5/17/2018	3:24 PM	0.6	
Classroom 162	9045002	5/14/2018	7:32 PM	5/17/2018	3:24 PM	< 0.3	Duplicate RPD = 66.7%
Classroom 161	9045003	5/14/2018	7:34 PM	5/17/2018	3:24 PM	0.5	
Classroom 146	9045004	5/14/2018	7:47 PM	5/17/2018	3:26 PM	< 0.3	

Table 1.0 Radon Measurement Device Results

East Aurora High School -
500 Tomcat Lane
Aurora, Illinois 60505

Device Location	Device Serial #	Start Date	Start Time	Stop Date	Stop Time	Result (pCi/L)	Comments
Office 149B	9045005	5/14/2018	7:48 PM	5/17/2018	3:43 PM	< 0.3	
Classroom 149	9045006	5/14/2018	7:50 PM	5/17/2018	3:44 PM	< 0.3	
Classroom 149	9045007	5/14/2018	7:50 PM	5/17/2018	3:42 PM	< 0.3	
Storage Room 149	9045008	5/14/2018	7:52 PM	5/17/2018	3:44 PM	< 0.3	
Classroom 144B	9045009	5/14/2018	7:53 PM	5/17/2018	3:29 PM	0.6	
Storage Room 144C	9045010	5/14/2018	7:54 PM	5/17/2018	3:37 PM	1.2	
Office 144	9045011	5/14/2018	7:55 PM	5/17/2018	3:37 PM	< 0.3	
Mechanical Room 145B	9045012	5/14/2018	7:57 PM	5/17/2018	3:48 PM	< 0.3	
Mechanical Room 145B	9045013	5/14/2018	7:58 PM	5/17/2018	3:49 PM	< 0.3	
Classroom 143	9045014	5/14/2018	8:00 PM	5/17/2018	3:50 PM	< 0.3	
Classroom 143	9045015	5/14/2018	8:00 PM	5/17/2018	3:52 PM	< 0.3	Duplicate RPD = 0.0%
Classroom 143A	9045016	5/14/2018	8:02 PM	5/17/2018	3:52 PM	0.5	
Classroom 143B	9045017	5/14/2018	8:02 PM	5/17/2018	3:53 PM	< 0.3	
Autoshop 150A	9045018	5/14/2018	8:04 PM	5/17/2018	3:54 PM	< 0.3	
Auto Shop 150	9045019	5/14/2018	8:05 PM	5/17/2018	3:55 PM	0.8	
Auto Shop 150C	9045020	5/14/2018	8:07 PM	5/17/2018	3:30 PM	< 0.3	
Classroom 140	9045021	5/14/2018	8:10 PM	5/17/2018	4:00 PM	< 0.3	
Classroom 140	9045022	5/14/2018	8:10 PM	5/17/2018	4:00 PM	< 0.3	
Classroom 141	9045023	5/14/2018	8:13 PM	5/17/2018	4:01 PM	< 0.3	
Classroom 141B	9045024	5/14/2018	8:14 PM	5/17/2018	4:02 PM	< 0.3	
Office 140A	9045025	5/14/2018	8:17 PM	5/17/2018	4:03 PM	< 0.3	
Office 140B	9045026	5/14/2018	8:17 PM	5/17/2018	4:04 PM	< 0.3	

Table 1.0 Radon Measurement Device Results

East Aurora High School -
500 Tomcat Lane
Aurora, Illinois 60505

Device Location	Device Serial #	Start Date	Start Time	Stop Date	Stop Time	Result (pCi/L)	Comments
Storage 139A	9045027	5/14/2018	8:18 PM	5/17/2018	4:39 PM	< 0.3	
Storage 139B	9045028	5/14/2018	8:20 PM	5/17/2018	4:40 PM	< 0.3	
Kitchen Office 151F	9045029	5/14/2018	8:23 PM	5/17/2018	4:42 PM	< 0.3	
Janitor's Closet B151A	9045030	5/14/2018	8:25 PM	5/17/2018	4:52 PM	1.0	
Storage B151B	9045031	5/14/2018	8:27 PM	5/17/2018	4:53 PM	< 0.3	
Storage B151E	9045032	5/14/2018	8:28 PM	5/17/2018	4:55 PM	0.9	
Storage B151E	9045033	5/14/2018	8:29 PM	5/17/2018	4:55 PM	1.3	
Serving Room 105E	9045034	5/14/2018	8:39 PM	5/17/2018	2:21 PM	< 0.3	
Serving Room 105E	9045035	5/14/2018	8:40 PM	5/17/2018	2:21 PM	< 0.3	
Classroom 106	9045036	5/14/2018	8:42 PM	5/17/2018	2:27 PM	< 0.3	
Classroom 106	9045037	5/14/2018	8:42 PM	5/17/2018	2:25 PM	< 0.3	Duplicate RPD = 0.0%
Storage 108	9045038	5/14/2018	8:43 PM	5/17/2018	2:25 PM	< 0.3	
Mechanical Room near 103	9045039	5/14/2018	8:45 PM	5/17/2018	5:05 PM	< 0.3	
Classroom 110	9045040	5/14/2018	8:47 PM	5/17/2018	2:27 PM	< 0.3	
Classroom 112A Office	9045041	5/14/2018	8:47 PM	5/17/2018	2:26 PM	< 0.3	
Classroom 112	9045042	5/14/2018	8:49 PM	5/17/2018	2:29 PM	< 0.3	
Electric Room 116	9045043	5/14/2018	8:50 PM	5/17/2018	2:29 PM	< 0.3	
Classroom 114	9045044	5/14/2018	8:50 PM	5/17/2018	2:30 PM	< 0.3	
Classroom Closet 114	9045045	5/14/2018	8:51 PM	5/17/2018	2:33 PM	< 0.3	
Library 104	9045046	5/14/2018	8:57 PM	5/17/2018	2:14 PM	< 0.3	
Library 104	9045047	5/14/2018	8:58 PM	5/17/2018	2:14 PM	0.5	
Library 104C	9045048	5/14/2018	8:59 PM	5/17/2018	2:16 PM	< 0.3	

Table 1.0 Radon Measurement Device Results

East Aurora High School -
500 Tomcat Lane
Aurora, Illinois 60505

Device Location	Device Serial #	Start Date	Start Time	Stop Date	Stop Time	Result (pCi/L)	Comments
Library 104C	9045049	5/14/2018	8:59 PM	5/17/2018	2:15 PM	< 0.3	Duplicate RPD = 0.0%
Library 104B	9045050	5/14/2018	8:59 PM	5/17/2018	2:15 PM	< 0.3	
Library 104A	9045051	5/14/2018	9:00 PM	5/17/2018	2:15 PM	< 0.3	
Library 104D	9045052	5/14/2018	9:01 PM	5/17/2018	2:16 PM	< 0.3	
Library 104E	9045053	5/14/2018	9:02 PM	5/17/2018	2:14 PM	< 0.3	
Library 104F	9045054	5/14/2018	9:03 PM	5/17/2018	2:16 PM	< 0.3	
Library 104G	9045055	5/14/2018	9:04 PM	5/17/2018	2:14 PM	< 0.3	
Library 104H	9045056	5/14/2018	9:04 PM	5/17/2018	2:14 PM	0.6	
Room 100	9045057	5/14/2018	9:05 PM	5/17/2018	2:17 PM	0.6	
Room 100	9045058	5/14/2018	9:05 PM	5/17/2018	2:17 PM	< 0.3	Duplicate RPD = 66.7%
Room 100B Storage	9045059	5/14/2018	9:07 PM	5/17/2018	2:16 PM	< 0.3	
Room 100A Office	9045060	5/14/2018	9:08 PM	5/17/2018	2:17 PM	0.5	
Room 102	9045061	5/14/2018	9:08 PM	5/17/2018	2:17 PM	< 0.3	
Conference Room 102A	9045062	5/14/2018	9:09 PM	5/17/2018	2:17 PM	< 0.3	
Paw Place 107	9045063	5/14/2018	9:12 PM	5/17/2018	5:10 PM	< 0.3	
Paw Place Storage 107	9045064	5/14/2018	9:13 PM	5/17/2018	5:11 PM	< 0.3	
Cafeteria 105	9045065	5/14/2018	9:14 PM	5/17/2018	2:22 PM	< 0.3	
Cafeteria 105	9045066	5/14/2018	9:15 PM	5/17/2018	2:22 PM	< 0.3	
Concession Area 105D	9045067	5/14/2018	9:16 PM	5/17/2018	2:22 PM	< 0.3	
Room 105A	9045068	5/14/2018	9:18 PM	5/17/2018	5:13 PM	< 0.3	
Storage B081D	9045069	5/14/2018	9:38 PM	5/17/2018	5:27 PM	1.2	

Table 1.0 Radon Measurement Device Results

East Aurora High School -
500 Tomcat Lane
Aurora, Illinois 60505

Device Location	Device Serial #	Start Date	Start Time	Stop Date	Stop Time	Result (pCi/L)	Comments
Mechanical Room B081C	9045070	5/14/2018	9:39 PM	5/17/2018	5:18 PM	1.8	
Room B081E	9045071	5/14/2018	9:40 PM	5/17/2018	5:19 PM	0.5	
Storage B081B	9045072	5/14/2018	9:40 PM	5/17/2018	5:23 PM	1	
Storage B081B	9045073	5/14/2018	9:40 PM	5/17/2018	5:19 PM	2.2	
Band Library B081G	9045074	5/14/2018	9:41 PM	5/17/2018	5:20 PM	0.7	
Storage B081H	9045075	5/14/2018	9:43 PM	5/17/2018	5:28 PM	< 0.3	
Storage B081H	9045076	5/14/2018	9:43 PM	5/17/2018	5:28 PM	< 0.3	Duplicate RPD = 0.0%
Storage B081H (South)	9045077	5/14/2018	9:44 PM	5/17/2018	5:20 PM	< 0.3	
Storage B081H (North)	9045078	5/14/2018	9:45 PM	5/17/2018	5:20 PM	0.7	
Storage B081F	9045079	5/14/2018	9:47 PM	5/17/2018	5:26 PM	< 0.3	
Room B081I	9045080	5/14/2018	9:48 PM	5/17/2018	---	---	No Access
Storage B081J	9045081	5/14/2018	9:49 PM	5/17/2018	---	---	No Access
Room B081K	9045082	5/14/2018	9:49 PM	5/17/2018	5:24 PM	0.8	
Storage B081L	9045083	5/14/2018	9:50 PM	5/17/2018	5:22 PM	0.5	
Storage B081A (East)	9045084	5/14/2018	9:51 PM	5/17/2018	5:22 PM	1.9	
Storage B081A (East)	9045085	5/14/2018	9:51 PM	5/17/2018	5:25 PM	1.9	
Storage B081A (East)	9045086	5/14/2018	9:51 PM	5/17/2018	5:25 PM	1.7	Duplicate RPD 11.1%
Storage B081A (West)	9045087	5/14/2018	9:55 PM	5/17/2018	5:32 PM	2.1	
Band Room 087	9045088	5/14/2018	10:00 PM	5/17/2018	5:35 PM	< 0.3	
Band Room Storage 087A	9045089	5/14/2018	10:01 PM	5/17/2018	5:35 PM	< 0.3	
Band Office 087B	9045090	5/14/2018	10:02 PM	5/17/2018	5:35 PM	< 0.3	

Table 1.0 Radon Measurement Device Results

East Aurora High School -
500 Tomcat Lane
Aurora, Illinois 60505

Device Location	Device Serial #	Start Date	Start Time	Stop Date	Stop Time	Result (pCi/L)	Comments
Room 082	9045091	5/14/2018	10:10 PM	5/17/2018	5:40 PM	0.6	
Storage 082A	9045092	5/14/2018	10:11 PM	5/17/2018	5:40 PM	< 0.3	
Room 084	9045093	5/14/2018	10:13 PM	5/17/2018	5:42 PM	< 0.3	
Room 086	9045094	5/14/2018	10:15 PM	5/17/2018	5:42 PM	< 0.3	
Storage 084A	9045095	5/14/2018	10:17 PM	5/17/2018	5:43 PM	< 0.3	
Room 088	9045096	5/14/2018	10:17 PM	5/17/2018	5:44 PM	< 0.3	
Room 088	9045097	5/14/2018	10:17 PM	5/17/2018	5:44 PM	< 0.3	Duplicate RPD = 0.0%
Kiln Room 086A	9045098	5/14/2018	10:20 PM	5/17/2018	5:44 PM	< 0.3	
Storage 088A	9045099	5/14/2018	10:20 PM	5/17/2018	5:45 PM	< 0.3	
MDF Room 090B	9045100	5/14/2018	10:21 PM	5/17/2018	5:37 PM	< 0.3	
Room 097	9044401	5/15/2018	5:00 PM	5/17/2018	5:51 PM	< 0.3	
IT Room 111A	9044402	5/15/2018	5:02 PM	5/17/2018	6:00 PM	0.5	
IT Room 111	9044403	5/15/2018	5:03 PM	5/17/2018	6:00 PM	< 0.3	
Classroom 142	9044404	5/15/2018	5:05 PM	5/17/2018	5:10 PM	< 0.3	
Police Room 145A	9044405	5/15/2018	5:07 PM	5/17/2018	5:15 PM	< 0.3	
Police Room 145B	9044406	5/15/2018	5:08 PM	5/17/2018	5:16 PM	< 0.3	
Office 147A	9044407	5/15/2018	5:10 PM	5/17/2018	6:00 PM	0.7	
Office 147A	9044408	5/15/2018	5:10 PM	5/17/2018	6:00 PM	< 0.3	Duplicate RPD = 50.0%
Storage 147B	9044409	5/15/2018	5:12 PM	5/17/2018	6:00 PM	0.6	
Welding Room 147	9044410	5/15/2018	5:13 PM	5/17/2018	6:00 PM	< 0.3	
Welding Room 147	9044411	5/15/2018	5:14 PM	5/17/2018	6:00 PM	< 0.3	

Table 1.0 Radon Measurement Device Results

East Aurora High School -
500 Tomcat Lane
Aurora, Illinois 60505

Device Location	Device Serial #	Start Date	Start Time	Stop Date	Stop Time	Result (pCi/L)	Comments
Freshman Gym (West)	9044412	5/15/2018	5:16 PM	5/17/2018	5:58 PM	0.7	
Freshman Gym (West)	9044413	5/15/2018	5:18 PM	5/17/2018	6:07 PM	0.7	
Freshman Gym Storage G28A	9044414	5/15/2018	5:20 PM	5/17/2018	6:07 PM	1.3	
Freshman Gym Storage G28C	9044415	5/15/2018	5:20 PM	5/17/2018	5:57 PM	1.3	
Freshman Gym Storage B28B	9044416	5/15/2018	5:21 PM	5/17/2018	5:57 PM	1.1	
Freshman Gym (East)	9044417	5/15/2018	5:22 PM	5/17/2018	5:56 PM	< 0.3	
Freshman Gym (East)	9044418	5/15/2018	5:23 PM	5/17/2018	5:56 PM	< 0.3	
Freshman Gym Kitchen Storage	9044419	5/15/2018	5:24 PM	5/17/2018	6:22 PM	< 0.3	
General Office near Door 46	9044420	5/15/2018	5:26 PM	5/17/2018	6:08 PM	1.1	
General Office near Door 46	9044421	5/15/2018	5:26 PM	5/17/2018	6:08 PM	1.2	Duplicate RPD = 8.7%
General Office 023	9044422	5/15/2018	5:27 PM	5/17/2018	6:09 PM	0.8	
General Office 025	9044423	5/15/2018	5:27 PM	5/17/2018	6:09 PM	1.0	
General Office Storage 026	9044424	5/15/2018	5:28 PM	5/17/2018	6:08 PM	2.8	
General Office 027	9044425	5/15/2018	5:29 PM	5/17/2018	6:10 PM	1.3	
General Office 021	9044426	5/15/2018	5:30 PM	5/17/2018	6:10 PM	1.1	
Classroom 251	9044427	5/15/2018	5:33 PM	5/17/2018	6:12 PM	< 0.3	
Machine Room 250A	9044428	5/15/2018	5:37 PM	5/17/2018	6:15 PM	1.8	
Classroom 250	9044429	5/15/2018	5:38 PM	5/17/2018	6:12 PM	0.7	
Classroom 252	9044430	5/15/2018	5:38 PM	5/17/2018	6:14 PM	< 0.3	
Classroom 252	9044431	5/15/2018	5:38 PM	5/17/2018	6:14 PM	< 0.3	Duplicate RPD = 0.0%
Classroom 253	9044432	5/15/2018	5:39 PM	5/17/2018	6:15 PM	< 0.3	

Table 1.0 Radon Measurement Device Results

East Aurora High School -
500 Tomcat Lane
Aurora, Illinois 60505

Device Location	Device Serial #	Start Date	Start Time	Stop Date	Stop Time	Result (pCi/L)	Comments
Classroom 254	9044433	5/15/2018	5:40 PM	5/17/2018	6:15 PM	< 0.3	
Classroom 255	9044434	5/15/2018	5:40 PM	5/17/2018	6:16 PM	< 0.3	
Classroom 256	9044435	5/15/2018	5:42 PM	5/17/2018	6:17 PM	< 0.3	
Classroom 257	9044436	5/15/2018	5:42 PM	5/17/2018	6:17 PM	< 0.3	
Classroom 261	9044437	5/15/2018	5:43 PM	5/17/2018	6:18 PM	0.5	
Storage 263A	9044438	5/15/2018	5:44 PM	5/17/2018	6:18 PM	0.6	
Custodial Room 263B	9044439	5/15/2018	5:44 PM	5/17/2018	6:19 PM	< 0.3	
Classroom 263C	9044440	5/15/2018	5:45 PM	5/17/2018	6:17 PM	< 0.3	
Classroom 263D	9044441	5/15/2018	5:46 PM	5/17/2018	6:17 PM	< 0.3	
Classroom 265	9044442	5/15/2018	5:47 PM	5/17/2018	6:17 PM	< 0.3	
Classroom 267	9044443	5/15/2018	5:48 PM	5/17/2018	6:14 PM	< 0.3	
Classroom 267	9044444	5/15/2018	5:48 PM	5/17/2018	6:14 PM	< 0.3	Duplicate RPD = 0.0%
Classroom 258	9044445	5/15/2018	5:49 PM	5/17/2018	6:18 PM	< 0.3	
Classroom Storage 258A	9044446	5/15/2018	5:49 PM	5/17/2018	6:18 PM	< 0.3	
Classroom 260	9044447	5/15/2018	5:51 PM	5/17/2018	6:17 PM	< 0.3	
Classroom 269	9044448	5/15/2018	5:52 PM	5/17/2018	6:16 PM	< 0.3	
Classroom 262	9044449	5/15/2018	5:52 PM	5/17/2018	---	---	Device Missing
Classroom 271	9044450	5/15/2018	5:53 PM	5/17/2018	6:15 PM	< 0.3	
Classroom 264	9044451	5/15/2018	5:54 PM	5/17/2018	6:15 PM	< 0.3	
Classroom 273	9044452	5/15/2018	5:55 PM	5/17/2018	---	---	Device Missing
Classroom 266	9044453	5/15/2018	5:55 PM	5/17/2018	6:16 PM	< 0.3	

Table 1.0 Radon Measurement Device Results

East Aurora High School -
500 Tomcat Lane
Aurora, Illinois 60505

Device Location	Device Serial #	Start Date	Start Time	Stop Date	Stop Time	Result (pCi/L)	Comments
Classroom 266	9044454	5/15/2018	5:55 PM	5/17/2018	6:16 PM	< 0.3	Duplicate RPD 0.0%
Storage 266A	9044455	5/15/2018	5:56 PM	5/17/2018	6:15 PM	< 0.3	
Auditorium 090	9044456	5/15/2018	6:00 PM	5/17/2018	6:15 PM	< 0.3	
Auditorium 090	9044457	5/15/2018	6:01 PM	5/17/2018	6:16 PM	< 0.3	
Auditorium 090	9044458	5/15/2018	6:02 PM	5/17/2018	6:16 PM	< 0.3	
Hallway	9044486	5/15/2018	6:03 PM	5/17/2018	8:15 PM	< 0.3	Blank
Hallway	9044487	5/15/2018	6:03 PM	5/17/2018	8:15 PM	< 0.3	Blank
Hallway	9044488	5/15/2018	6:04 PM	5/17/2018	8:15 PM	< 0.3	Blank
Hallway	9044489	5/15/2018	6:04 PM	5/17/2018	8:15 PM	< 0.3	Blank
Hallway	9044490	5/15/2018	6:04 PM	5/17/2018	8:15 PM	< 0.3	Blank
Hallway	9044491	5/15/2018	6:05 PM	5/17/2018	8:15 PM	< 0.3	Blank
Hallway	9044492	5/15/2018	6:05 PM	5/17/2018	8:15 PM	< 0.3	Blank
Hallway	9044493	5/15/2018	6:05 PM	5/17/2018	8:15 PM	< 0.3	Blank
Hallway	9044494	5/15/2018	6:06 PM	5/17/2018	8:15 PM	< 0.3	Blank
Hallway	9044495	5/15/2018	6:06 PM	5/17/2018	8:15 PM	< 0.3	Blank
Hallway	9044496	5/15/2018	6:06 PM	5/17/2018	8:15 PM	< 0.3	Blank
Hallway	9044497	5/15/2018	6:07 PM	5/17/2018	8:15 PM	< 0.3	Blank
Hallway	9044498	5/15/2018	6:07 PM	5/17/2018	8:15 PM	< 0.3	Blank
Hallway	9044499	5/15/2018	6:07 PM	5/17/2018	8:15 PM	< 0.3	Blank
Hallway	9044500	5/15/2018	6:07 PM	5/17/2018	8:15 PM	< 0.3	Blank
Hallway	9045217	5/15/2018	6:08 PM	5/17/2018	8:15 PM	< 0.3	Blank

*Radon Survey Report
East Aurora High School
500 Tomcat Lane, Aurora, Illinois 60505
Carnow Conibear Project No. A146000137*

RPD - Relative Percent Difference = difference divided by the average of simultaneous results times 100. Results less than 4.0 pCi/L shall agree with a RPD of less than 67 percent. Results greater than 4.0 pCi/l shall agree with a RDP of less than 36 percent.
The EPA and IEMA recommended radon action level is 4.0 pCi/L.

6.0 CONCLUSIONS

Carnow, Conibear, & Assoc., Ltd. (Carnow Conibear) was contracted by East Aurora School District 131 to perform a radon survey at the East Aurora High School located at 500 Tomcat Lane in Aurora, Illinois. The survey was initiated on May 14, 2018 and completed on May 17, 2018 by Nicole Bennett, an Illinois Emergency Management Agency (IEMA) licensed Radon Measurement Professional (License No. RNI2016213). The scope of work included short term (two to four day) radon measurements in frequently occupied rooms with substantial ground contact. The radon survey was performed in following the IEMA and the USEPA testing protocols for commercial and school radon measurements, the radon device manufacturer's recommendations, and the Carnow Conibear Quality Assurance Plan.

Radon measurement results ranged from less than (<) 0.3 to 3.7 pCi/L. The radon measurement results indicate radon concentrations for areas tested were below the EPA and IEMA recommended action level of 4.0 pCi/L during the time of the test. The average indoor radon concentrations are 1.3 pCi/L nationwide. The average outdoor radon concentration is 0.4 pCi/L.

Based on the radon measurement results Carnow Conibear recommends the following:

- A routine follow-up radon measurement survey every three (3) years, preferably at different seasonal times of the year. Follow-up radon testing is also recommended in locations with invalid test results.
- Additional radon testing if significant changes are made to the building's structural or mechanical components.


7.0 LIMITATIONS AND CONDITIONS

The information contained in this report was prepared for the exclusive use and reliance of East Aurora School District 131 and Carnow Conibear. This information is based on the specific parameters of the scope of work for this project and the regulations in force at the time of the report.

Carnow Conibear has applied prevailing industry standards and reasonable judgment and effort within the scope of work, while conducting the radon measurement survey. The standards, judgment, and effort used by Carnow Conibear personnel to investigate, assess, and determine the presence of potential environmental hazards and liabilities associated with the radon survey at the East Aurora High School, Aurora, Illinois are consistent with requirements outlined in federal and state guidelines. Carnow Conibear makes no warranty, express or implied, that the findings and interpretations in this report are a complete representation of the environmental hazards and liabilities, associated with the East Aurora High School, Aurora, Illinois.

APPENDIX A

Floor Plans – Radon Sampling Locations




1 RADON SAMPLE LOCATIONS GROUND FLOOR PLAN

NOT TO SCALE

		NORTH		
TESTED BY: Derek Lantry IEMA License #: RNI2004213	CLIENT: East Aurora Public School District 131 417 Fifth Street Aurora, Illinois, 60505	LEGEND:  Approximate location of activated charcoal radon measurement device 4482418 Radon measurement device serial number	SHEET TITLE: Radon Testing Locations at East Aurora High School 500 Tomcat Lane Aurora, Illinois 60505	Carnow, Conibear & Assoc., Ltd. Environmental Consulting Services 600 W. Van Buren St., Suite 500, Chicago, IL 60607 t: 312.782.4486 f: 312.782.5145 www.ccaltld.com
DRAWN BY: J. Kalingasan				CCA PROJECT NO. A146000137
CHECKED BY: D. Lantry				SURVEY DATE: 5/14/2018 to 5/17/2018
				SHEET NO. Rn-1

**CARNOW
CONIBEAR**



2 RADON SAMPLE LOCATIONS GROUND FLOOR PLAN

NOT TO SCALE

		NORTH			
TESTED BY: Derek Lantry IEMA License #: RNI2004213	CLIENT: East Aurora Public School District 131 417 Fifth Street Aurora, Illinois, 60505	LEGEND:  Approximate location of activated charcoal radon measurement device 4482418 Radon measurement device serial number	SHEET TITLE: Radon Testing Locations at East Aurora High School 500 Tomcat Lane Aurora, Illinois 60505	Carnow, Conibear & Assoc., Ltd. Environmental Consulting Services 600 W. Van Buren St., Suite 500, Chicago, IL 60607 t: 312.782.4486 f: 312.782.5145 www.ccalt.com	CCA PROJECT NO. A146000137 SURVEY DATE: 5/14/2018 to 5/17/2018 SHEET NO. CARNOW CONIBEAR Rn-2
DRAWN BY: J. Kalingasan					
CHECKED BY: D. Lantry					



3 RADON SAMPLE LOCATIONS GROUND FLOOR PLAN

NOT TO SCALE

T
11

TESTED BY: Derek Lantry IEMA License #: RNI2004213		CLIENT: East Aurora Public School District 131 417 Fifth Street Aurora, Illinois, 60505	LEGEND: ● Approximate location of activated charcoal radon measurement device 4482418 Radon measurement device serial number	NORTH		
DRAWN BY: J. Kalingasan				SHEET TITLE: Radon Testing Locations at East Aurora High School 500 Tomcat Lane Aurora, Illinois 60505	Carnow, Conibear & Assoc., Ltd. Environmental Consulting Services 600 W. Van Buren St., Suite 500, Chicago, IL 60607 t: 312.782.4486 f: 312.782.5145 www.ccaltld.com	CCA PROJECT NO. A146000137
CHECKED BY: D. Lantry						SURVEY DATE: 5/14/2018 to 5/17/2018
 Rn-3						




4 RADON SAMPLE LOCATIONS GROUND FLOOR PLAN

NOT TO SCALE

		NORTH		
TESTED BY: Derek Lantry IEMA License #: RNI2004213	CLIENT: East Aurora Public School District 131 417 Fifth Street Aurora, Illinois, 60505	LEGEND:  Approximate location of activated charcoal radon measurement device 4482418 Radon measurement device serial number	SHEET TITLE: Radon Testing Locations at East Aurora High School 500 Tomcat Lane Aurora, Illinois 60505	Carnow, Conibear & Assoc., Ltd. Environmental Consulting Services 600 W. Van Buren St., Suite 500, Chicago, IL 60607 t: 312.782.4486 f: 312.782.5145 www.ccaltld.com
DRAWN BY: J. Kalingasan				CCA PROJECT NO. A146000137
CHECKED BY: D. Lantry				SURVEY DATE: 5/14/2018 to 5/17/2018
				SHEET NO. CARNOW CONIBEAR Rn-4

**CARNOW
CONIBEAR**

Rn-4



5 RADON SAMPLE LOCATIONS
BASEMENT FLOOR PLAN

NOT TO SCALE
N
TRUE NORTH

TESTED BY:
Derek Lantry
IEMA License #: RNI2004213

CLIENT:
East Aurora Public School District 131
417 Fifth Street
Aurora, Illinois, 60505

DRAWN BY:
J. Kalingasan

CHECKED BY:
D. Lantry

LEGEND:
● Approximate location of activated charcoal
radon measurement device
4482418 Radon measurement device serial number

SHEET TITLE:
Radon Testing Locations at
East Aurora High School
500 Tomcat Lane
Aurora, Illinois 60505

Carnow, Conibear & Assoc., Ltd.
Environmental Consulting Services
600 W. Van Buren St., Suite 500, Chicago, IL 60607
t: 312.782.4486 f: 312.782.5145
www.ccalt.com

CCA PROJECT NO.
A146000137
SURVEY DATE:
5/14/2018 to 5/17/2018
SHEET NO.
Rn-5

**CARNOW
CONIBEAR**

APPENDIX B

Laboratory Analysis Report

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:
EAST AURORA HIGH SCHOOL
500 TOMCAT AVENUE, AURORA, IL

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9044712	ADMINISTRATION OFFICE 1025	2018-05-14 @ 6:00 pm	2018-05-17 @ 2:00 pm	1.0 ± 0.3	2018-05-21
9044264	ATHLETIC TRAINER OFFICE 462	2018-05-14 @ 4:00 pm	2018-05-17 @ 1:00 pm	< 0.3	2018-05-21
9044456	AUDITORIUM 090	2018-05-15 @ 6:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9044457	AUDITORIUM 090	2018-05-15 @ 6:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9044458	AUDITORIUM 090	2018-05-15 @ 6:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9045019	AUTOSHOP 150	2018-05-14 @ 8:00 pm	2018-05-17 @ 4:00 pm	0.8 ± 0.3	2018-05-21
9045018	AUTOSHOP 150A	2018-05-14 @ 8:00 pm	2018-05-17 @ 4:00 pm	< 0.3	2018-05-21
9045020	AUTOSHOP 150C	2018-05-14 @ 8:00 pm	2018-05-17 @ 4:00 pm	< 0.3	2018-05-21
9045074	BAND LIBRARY B081G	2018-05-14 @ 10:00 pm	2018-05-17 @ 5:00 pm	0.7 ± 0.3	2018-05-21
9045090	BAND OFFICE 087B	2018-05-14 @ 10:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9045088	BAND ROOM 087	2018-05-14 @ 10:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9045089	BAND ROOM STORAGE 087A	2018-05-14 @ 10:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9044290	BICYCLE ROOM	2018-05-14 @ 5:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9044291	BICYCLE ROOM	2018-05-14 @ 5:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9044255	BOY&APOS;S ATHLETIC LOCKER ROOM 451	2018-05-14 @ 4:00 pm	2018-05-17 @ 1:00 pm	< 0.3	2018-05-21
9044258	BOY&APOS;S ATHLETICS LOCKER ROOM 45	2018-05-14 @ 4:00 pm	2018-05-17 @ 1:00 pm	< 0.3	2018-05-21
9044257	BOY&APOS;S VARSITY OFFICE 453	2018-05-14 @ 4:00 pm	2018-05-17 @ 12:00 pm	< 0.3	2018-05-21
9044256	BOY&APOS;S VARSITY OFFICE 453	2018-05-14 @ 4:00 pm	2018-05-17 @ 12:00 pm	< 0.3	2018-05-21
9045066	CAFETERIA 105	2018-05-14 @ 9:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9045065	CAFETERIA 105	2018-05-14 @ 9:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9044707	CLASSROOM 1017	2018-05-14 @ 6:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9044708	CLASSROOM 1018	2018-05-14 @ 6:00 pm	2018-05-17 @ 2:00 pm	0.6 ± 0.3	2018-05-21
9044709	CLASSROOM 1019	2018-05-14 @ 6:00 pm	2018-05-17 @ 2:00 pm	0.6 ± 0.3	2018-05-21
9045037	CLASSROOM 106	2018-05-14 @ 9:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9045036	CLASSROOM 106	2018-05-14 @ 9:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9045040	CLASSROOM 110	2018-05-14 @ 9:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9045042	CLASSROOM 112	2018-05-14 @ 9:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9045041	CLASSROOM 112A OFFICE	2018-05-14 @ 9:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9045044	CLASSROOM 114	2018-05-14 @ 9:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9045021	CLASSROOM 140	2018-05-14 @ 8:00 pm	2018-05-17 @ 4:00 pm	< 0.3	2018-05-21
9045022	CLASSROOM 140	2018-05-14 @ 8:00 pm	2018-05-17 @ 4:00 pm	< 0.3	2018-05-21
9045023	CLASSROOM 141	2018-05-14 @ 8:00 pm	2018-05-17 @ 4:00 pm	< 0.3	2018-05-21
9045024	CLASSROOM 141B	2018-05-14 @ 8:00 pm	2018-05-17 @ 4:00 pm	< 0.3	2018-05-21
9044404	CLASSROOM 142	2018-05-15 @ 5:00 pm	2018-05-17 @ 5:00 pm	< 0.3	2018-05-21
9045015	CLASSROOM 143	2018-05-14 @ 8:00 pm	2018-05-17 @ 4:00 pm	< 0.3	2018-05-21
9045014	CLASSROOM 143	2018-05-14 @ 8:00 pm	2018-05-17 @ 4:00 pm	< 0.3	2018-05-21
9045016	CLASSROOM 143A	2018-05-14 @ 8:00 pm	2018-05-17 @ 4:00 pm	0.5 ± 0.3	2018-05-21

Radon test result report for:
**EAST AURORA HIGH SCHOOL
500 TOMCAT AVENUE, AURORA, IL**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9045017	CLASSROOM 143B	2018-05-14 @ 8:00 pm	2018-05-17 @ 4:00 pm	< 0.3	2018-05-21
9045009	CLASSROOM 144B	2018-05-14 @ 8:00 pm	2018-05-17 @ 3:00 pm	0.6 ± 0.3	2018-05-21
9045004	CLASSROOM 146	2018-05-14 @ 8:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9045006	CLASSROOM 149	2018-05-14 @ 8:00 pm	2018-05-17 @ 4:00 pm	< 0.3	2018-05-21
9045007	CLASSROOM 149	2018-05-14 @ 8:00 pm	2018-05-17 @ 4:00 pm	< 0.3	2018-05-21
9045003	CLASSROOM 161	2018-05-14 @ 8:00 pm	2018-05-17 @ 3:00 pm	0.5 ± 0.3	2018-05-21
9045002	CLASSROOM 162	2018-05-14 @ 8:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9045001	CLASSROOM 162	2018-05-14 @ 8:00 pm	2018-05-17 @ 3:00 pm	0.6 ± 0.3	2018-05-21
9044800	CLASSROOM 163	2018-05-14 @ 8:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044799	CLASSROOM 164	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044798	CLASSROOM 165	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	0.6 ± 0.3	2018-05-21
9044797	CLASSROOM 166	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	0.6 ± 0.3	2018-05-21
9044796	CLASSROOM 167	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044795	CLASSROOM 168	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044794	CLASSROOM 169A	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044793	CLASSROOM 169B	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044791	CLASSROOM 170	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044783	CLASSROOM 172	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044784	CLASSROOM 172	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044782	CLASSROOM 174	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044781	CLASSROOM 175	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044780	CLASSROOM 176	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044777	CLASSROOM 178	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044778	CLASSROOM 179	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044776	CLASSROOM 180	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044775	CLASSROOM 181	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044773	CLASSROOM 182	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044772	CLASSROOM 182	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044774	CLASSROOM 183	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044771	CLASSROOM 184	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044770	CLASSROOM 185	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044768	CLASSROOM 186	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044769	CLASSROOM 187	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044767	CLASSROOM 188	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044429	CLASSROOM 250	2018-05-15 @ 6:00 pm	2018-05-17 @ 6:00 pm	0.7 ± 0.3	2018-05-21
9044427	CLASSROOM 251	2018-05-15 @ 6:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9044430	CLASSROOM 252	2018-05-15 @ 6:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21

**** LABORATORY ANALYSIS REPORT ****Radon test result report for:

**EAST AURORA HIGH SCHOOL
500 TOMCAT AVENUE, AURORA, IL**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9044431	CLASSROOM 252	2018-05-15 @ 6:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9044432	CLASSROOM 253	2018-05-15 @ 6:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9044433	CLASSROOM 254	2018-05-15 @ 6:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9044434	CLASSROOM 255	2018-05-15 @ 6:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9044435	CLASSROOM 256	2018-05-15 @ 6:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9044436	CLASSROOM 257	2018-05-15 @ 6:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9044445	CLASSROOM 258	2018-05-15 @ 6:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9044447	CLASSROOM 260	2018-05-15 @ 6:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9044437	CLASSROOM 261	2018-05-15 @ 6:00 pm	2018-05-17 @ 6:00 pm	0.5 ± 0.3	2018-05-21
9044440	CLASSROOM 263C	2018-05-15 @ 6:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9044441	CLASSROOM 263D	2018-05-15 @ 6:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9044451	CLASSROOM 264	2018-05-15 @ 6:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9044442	CLASSROOM 265	2018-05-15 @ 6:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9044453	CLASSROOM 266	2018-05-15 @ 6:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9044454	CLASSROOM 266D	2018-05-15 @ 6:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9044443	CLASSROOM 267	2018-05-15 @ 6:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9044444	CLASSROOM 267	2018-05-15 @ 6:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9044448	CLASSROOM 269	2018-05-15 @ 6:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9044450	CLASSROOM 271	2018-05-15 @ 6:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9044237	CLASSROOM 501	2018-05-14 @ 4:00 pm	2018-05-17 @ 12:00 pm	0.7 ± 0.3	2018-05-21
9044238	CLASSROOM 503	2018-05-14 @ 4:00 pm	2018-05-17 @ 12:00 pm	< 0.3	2018-05-21
9044239	CLASSROOM 505	2018-05-14 @ 4:00 pm	2018-05-17 @ 12:00 pm	< 0.3	2018-05-21
9044240	CLASSROOM 507	2018-05-14 @ 4:00 pm	2018-05-17 @ 12:00 pm	0.6 ± 0.3	2018-05-21
9044244	CLASSROOM 509	2018-05-14 @ 4:00 pm	2018-05-17 @ 12:00 pm	< 0.3	2018-05-21
9044241	CLASSROOM 511	2018-05-14 @ 4:00 pm	2018-05-17 @ 12:00 pm	< 0.3	2018-05-21
9044245	CLASSROOM 513	2018-05-14 @ 4:00 pm	2018-05-17 @ 12:00 pm	< 0.3	2018-05-21
9044242	CLASSROOM 515	2018-05-14 @ 4:00 pm	2018-05-17 @ 12:00 pm	< 0.3	2018-05-21
9044246	CLASSROOM 517	2018-05-14 @ 4:00 pm	2018-05-17 @ 12:00 pm	< 0.3	2018-05-21
9044247	CLASSROOM 519	2018-05-14 @ 4:00 pm	2018-05-17 @ 12:00 pm	< 0.3	2018-05-21
9044243	CLASSROOM 519	2018-05-14 @ 4:00 pm	2018-05-17 @ 12:00 pm	0.6 ± 0.3	2018-05-21
9045045	CLASSROOM CLOSET 114	2018-05-14 @ 9:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044446	CLASSROOM STORAGE 258A	2018-05-15 @ 6:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9044750	CLOSET 091C	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044785	CLOSET 173A	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044787	CLOSET 173B	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044788	CLOSET 173C	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044789	CLOSET 173D	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21

Radon test result report for:
**EAST AURORA HIGH SCHOOL
500 TOMCAT AVENUE, AURORA, IL**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9044719	CONCESSION 1008	2018-05-14 @ 6:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9044720	CONCESSION 1009	2018-05-14 @ 6:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9045067	CONCESSION AREA 105D	2018-05-14 @ 9:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9044743	CONFERENCE ROOM 091	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	0.7 ± 0.3	2018-05-21
9045062	CONFERENCE ROOM 102A	2018-05-14 @ 9:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9044439	CUSTODIAL ROOM 263B	2018-05-15 @ 6:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9044268	DRIVER EDUCATION LAB ROOM 402	2018-05-14 @ 5:00 pm	2018-05-17 @ 1:00 pm	< 0.3	2018-05-21
9044267	DRIVER EDUCATION ROOM 404	2018-05-14 @ 5:00 pm	2018-05-17 @ 1:00 pm	< 0.3	2018-05-21
9045043	ELECTRIC ROOM 116	2018-05-14 @ 9:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9044266	ELECTRIC ROOM 405	2018-05-14 @ 4:00 pm	2018-05-17 @ 1:00 pm	0.5 ± 0.3	2018-05-21
9044250	ELECTRIC ROOM 508	2018-05-14 @ 4:00 pm	2018-05-17 @ 12:00 pm	3.6 ± 0.4	2018-05-21
9044417	FRESHMAN GYM (EAST)	2018-05-15 @ 5:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9044418	FRESHMAN GYM (EAST)	2018-05-15 @ 5:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9044413	FRESHMAN GYM (WEST)	2018-05-15 @ 5:00 pm	2018-05-17 @ 6:00 pm	0.7 ± 0.3	2018-05-21
9044412	FRESHMAN GYM (WEST)	2018-05-15 @ 5:00 pm	2018-05-17 @ 6:00 pm	0.7 ± 0.3	2018-05-21
9044419	FRESHMAN GYM KITCHEN STORAGE	2018-05-15 @ 5:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9044416	FRESHMAN GYM STORAGE B28B	2018-05-15 @ 5:00 pm	2018-05-17 @ 6:00 pm	1.1 ± 0.3	2018-05-21
9044414	FRESHMAN GYM STORAGE G28A	2018-05-15 @ 5:00 pm	2018-05-17 @ 6:00 pm	1.3 ± 0.3	2018-05-21
9044415	FRESHMAN GYM STORAGE G28C	2018-05-15 @ 5:00 pm	2018-05-17 @ 6:00 pm	1.3 ± 0.3	2018-05-21
9044426	GENERAL OFFICE 021	2018-05-15 @ 6:00 pm	2018-05-17 @ 6:00 pm	1.1 ± 0.3	2018-05-21
9044422	GENERAL OFFICE 023	2018-05-15 @ 5:00 pm	2018-05-17 @ 6:00 pm	0.8 ± 0.3	2018-05-21
9044423	GENERAL OFFICE 025	2018-05-15 @ 5:00 pm	2018-05-17 @ 6:00 pm	1.0 ± 0.3	2018-05-21
9044425	GENERAL OFFICE 027	2018-05-15 @ 5:00 pm	2018-05-17 @ 6:00 pm	1.3 ± 0.3	2018-05-21
9044420	GENERAL OFFICE NEAR DOOR 46	2018-05-15 @ 5:00 pm	2018-05-17 @ 6:00 pm	1.1 ± 0.3	2018-05-21
9044421	GENERAL OFFICE NEAR DOOR 46	2018-05-15 @ 5:00 pm	2018-05-17 @ 6:00 pm	1.2 ± 0.3	2018-05-21
9044424	GENERAL OFFICE STORAGE 026	2018-05-15 @ 5:00 pm	2018-05-17 @ 6:00 pm	2.8 ± 0.4	2018-05-21
9044265	GIRL&APOS;S ATHLETICS LOCKER 457	2018-05-14 @ 4:00 pm	2018-05-17 @ 1:00 pm	< 0.3	2018-05-21
9044251	GIRL&APOS;S PE LOCKER 450	2018-05-14 @ 4:00 pm	2018-05-17 @ 12:00 pm	< 0.3	2018-05-21
9044263	GIRL&APOS;S PE LOCKER 459	2018-05-14 @ 4:00 pm	2018-05-17 @ 1:00 pm	< 0.3	2018-05-21
9044294	GYMNASIUM 1000 (CENTER)	2018-05-14 @ 5:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9044295	GYMNASIUM 1000 (CENTER)	2018-05-14 @ 5:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9044297	GYMNASIUM 1000 (EAST)	2018-05-14 @ 6:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9044296	GYMNASIUM 1000 (EAST)	2018-05-14 @ 5:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9044292	GYMNASIUM 1000 (WEST)	2018-05-14 @ 5:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9044293	GYMNASIUM 1000 (WEST)	2018-05-14 @ 5:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9044722	GYMNASIUM STORAGE 1001	2018-05-14 @ 6:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9044486	HALLWAY	2018-05-15 @ 6:00 pm	2018-05-17 @ 8:00 pm	< 0.3	2018-05-21

Radon test result report for:
**EAST AURORA HIGH SCHOOL
500 TOMCAT AVENUE, AURORA, IL**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9044499	HALLWAY	2018-05-15 @ 6:00 pm	2018-05-17 @ 8:00 pm	< 0.3	2018-05-21
9044496	HALLWAY	2018-05-15 @ 6:00 pm	2018-05-17 @ 8:00 pm	< 0.3	2018-05-21
9044493	HALLWAY	2018-05-15 @ 6:00 pm	2018-05-17 @ 8:00 pm	< 0.3	2018-05-21
9044490	HALLWAY	2018-05-15 @ 6:00 pm	2018-05-17 @ 8:00 pm	< 0.3	2018-05-21
9044487	HALLWAY	2018-05-15 @ 6:00 pm	2018-05-17 @ 8:00 pm	< 0.3	2018-05-21
9044500	HALLWAY	2018-05-15 @ 6:00 pm	2018-05-17 @ 8:00 pm	< 0.3	2018-05-21
9045217	HALLWAY	2018-05-15 @ 6:00 pm	2018-05-17 @ 8:00 pm	< 0.3	2018-05-21
9044497	HALLWAY	2018-05-15 @ 6:00 pm	2018-05-17 @ 8:00 pm	< 0.3	2018-05-21
9044494	HALLWAY	2018-05-15 @ 6:00 pm	2018-05-17 @ 8:00 pm	< 0.3	2018-05-21
9044491	HALLWAY	2018-05-15 @ 6:00 pm	2018-05-17 @ 8:00 pm	< 0.3	2018-05-21
9044488	HALLWAY	2018-05-15 @ 6:00 pm	2018-05-17 @ 8:00 pm	< 0.3	2018-05-21
9044498	HALLWAY	2018-05-15 @ 6:00 pm	2018-05-17 @ 8:00 pm	< 0.3	2018-05-21
9044495	HALLWAY	2018-05-15 @ 6:00 pm	2018-05-17 @ 8:00 pm	< 0.3	2018-05-21
9044492	HALLWAY	2018-05-15 @ 6:00 pm	2018-05-17 @ 8:00 pm	< 0.3	2018-05-21
9044489	HALLWAY	2018-05-15 @ 6:00 pm	2018-05-17 @ 8:00 pm	< 0.3	2018-05-21
9044403	IT ROOM 111	2018-05-15 @ 5:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9044402	IT ROOM 111A	2018-05-15 @ 5:00 pm	2018-05-17 @ 6:00 pm	0.5 ± 0.3	2018-05-21
9044277	JANITOR&APOS;S CLOSET 461	2018-05-14 @ 5:00 pm	2018-05-17 @ 1:00 pm	0.5 ± 0.3	2018-05-21
9044249	JANITOR&APOS;S CLOSET 502	2018-05-14 @ 4:00 pm	2018-05-17 @ 12:00 pm	2.8 ± 0.4	2018-05-21
9045030	JANITOR&APOS;S CLOSET B151A	2018-05-14 @ 8:00 pm	2018-05-17 @ 5:00 pm	1.0 ± 0.3	2018-05-21
9045098	KILN ROOM 086A	2018-05-14 @ 10:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9045029	KITCHEN OFFICE 151F	2018-05-14 @ 8:00 pm	2018-05-17 @ 5:00 pm	< 0.3	2018-05-21
9045047	LIBRARY 104	2018-05-14 @ 9:00 pm	2018-05-17 @ 2:00 pm	0.5 ± 0.3	2018-05-21
9045046	LIBRARY 104	2018-05-14 @ 9:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9045051	LIBRARY 104A	2018-05-14 @ 9:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9045050	LIBRARY 104B	2018-05-14 @ 9:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9045048	LIBRARY 104C	2018-05-14 @ 9:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9045049	LIBRARY 104C	2018-05-14 @ 9:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9045052	LIBRARY 104D	2018-05-14 @ 9:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9045053	LIBRARY 104E	2018-05-14 @ 9:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9045054	LIBRARY 104F	2018-05-14 @ 9:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9045055	LIBRARY 104G	2018-05-14 @ 9:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9045056	LIBRARY 104H	2018-05-14 @ 9:00 pm	2018-05-17 @ 2:00 pm	0.6 ± 0.3	2018-05-21
9044763	LITTLE THEATRE 199A	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044762	LITTLE THEATRE 199B	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044764	LITTLE THEATRE STORAGE 190	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044300	LOUNGE 1012A	2018-05-14 @ 6:00 pm	2018-05-17 @ 2:00 pm	1.1 ± 0.3	2018-05-21

**** LABORATORY ANALYSIS REPORT ****Radon test result report for:

**EAST AURORA HIGH SCHOOL
500 TOMCAT AVENUE, AURORA, IL**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9044299	LOUNGE 1012A	2018-05-14 @ 6:00 pm	2018-05-17 @ 2:00 pm	1.3 ± 0.3	2018-05-21
9044428	MACHINE ROOM 250A	2018-05-15 @ 6:00 pm	2018-05-17 @ 6:00 pm	1.8 ± 0.4	2018-05-21
9044288	MAIN GYMNASIUM 470	2018-05-14 @ 5:00 pm	2018-05-17 @ 1:00 pm	< 0.3	2018-05-21
9044739	MAIN OFFICE 091	2018-05-14 @ 6:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044740	MAIN OFFICE 091	2018-05-14 @ 6:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044741	MAIN OFFICE 091B	2018-05-14 @ 6:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044742	MAIN OFFICE 091C	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044298	MARKMANSHIP RANGE 1012	2018-05-14 @ 6:00 pm	2018-05-17 @ 2:00 pm	1.1 ± 0.3	2018-05-21
9045100	MDF ROOM 090B	2018-05-14 @ 10:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9045012	MECHANICAL ROOM 145B	2018-05-14 @ 8:00 pm	2018-05-17 @ 4:00 pm	< 0.3	2018-05-21
9045013	MECHANICAL ROOM 145B	2018-05-14 @ 8:00 pm	2018-05-17 @ 4:00 pm	< 0.3	2018-05-21
9044790	MECHANICAL ROOM 171	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044286	MECHANICAL ROOM 471B	2018-05-14 @ 5:00 pm	2018-05-17 @ 1:00 pm	0.7 ± 0.3	2018-05-21
9045070	MECHANICAL ROOM B081C	2018-05-14 @ 10:00 pm	2018-05-17 @ 5:00 pm	1.8 ± 0.3	2018-05-21
9044758	MECHANICAL ROOM M1	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9045039	MECHANICAL ROOM NEAR 103	2018-05-14 @ 9:00 pm	2018-05-17 @ 5:00 pm	< 0.3	2018-05-21
9044278	MPR 407	2018-05-14 @ 5:00 pm	2018-05-17 @ 1:00 pm	1.0 ± 0.3	2018-05-21
9044279	MPR 407	2018-05-14 @ 5:00 pm	2018-05-17 @ 1:00 pm	0.6 ± 0.3	2018-05-21
9044280	MPR 407A	2018-05-14 @ 5:00 pm	2018-05-17 @ 1:00 pm	0.8 ± 0.3	2018-05-21
9044282	MPR 407B	2018-05-14 @ 5:00 pm	2018-05-17 @ 1:00 pm	1.0 ± 0.3	2018-05-21
9044283	MPR 407C	2018-05-14 @ 5:00 pm	2018-05-17 @ 1:00 pm	0.8 ± 0.3	2018-05-21
9044732	NURSE&APOS;S OFFICE 095	2018-05-14 @ 6:00 pm	2018-05-17 @ 3:00 pm	0.6 ± 0.3	2018-05-21
9044733	NURSE&APOS;S OFFICE 095B	2018-05-14 @ 6:00 pm	2018-05-17 @ 3:00 pm	0.6 ± 0.3	2018-05-21
9044734	NURSE&APOS;S OFFICE 095D	2018-05-14 @ 6:00 pm	2018-05-17 @ 3:00 pm	0.6 ± 0.3	2018-05-21
9044737	NURSE&APOS;S OFFICE 095E	2018-05-14 @ 6:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044736	NURSE&APOS;S OFFICE 095F	2018-05-14 @ 6:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044735	NURSE&APOS;S OFFICE 095G	2018-05-14 @ 6:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044730	NURSE&APOS;S OFFICE 098	2018-05-14 @ 6:00 pm	2018-05-17 @ 3:00 pm	0.6 ± 0.3	2018-05-21
9044731	NURSE&APOS;S OFFICE 098A	2018-05-14 @ 6:00 pm	2018-05-17 @ 3:00 pm	0.5 ± 0.3	2018-05-21
9044745	OFFICE 092A	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044747	OFFICE 092B	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044746	OFFICE 092B	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044748	OFFICE 092C	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044749	OFFICE 092D	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044705	OFFICE 1015	2018-05-14 @ 6:00 pm	2018-05-17 @ 2:00 pm	1.0 ± 0.3	2018-05-21
9044710	OFFICE 1020	2018-05-14 @ 6:00 pm	2018-05-17 @ 2:00 pm	0.7 ± 0.3	2018-05-21
9044715	OFFICE 1026	2018-05-14 @ 6:00 pm	2018-05-17 @ 2:00 pm	1.3 ± 0.3	2018-05-21

**** LABORATORY ANALYSIS REPORT ****Radon test result report for:

**EAST AURORA HIGH SCHOOL
500 TOMCAT AVENUE, AURORA, IL**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9044713	OFFICE 1028	2018-05-14 @ 6:00 pm	2018-05-17 @ 2:00 pm	1.4 ± 0.3	2018-05-21
9044714	OFFICE 1028	2018-05-14 @ 6:00 pm	2018-05-17 @ 2:00 pm	1.3 ± 0.3	2018-05-21
9045025	OFFICE 140A	2018-05-14 @ 8:00 pm	2018-05-17 @ 4:00 pm	< 0.3	2018-05-21
9045026	OFFICE 140B	2018-05-14 @ 8:00 pm	2018-05-17 @ 4:00 pm	< 0.3	2018-05-21
9045011	OFFICE 144	2018-05-14 @ 8:00 pm	2018-05-17 @ 4:00 pm	< 0.3	2018-05-21
9044407	OFFICE 147A	2018-05-15 @ 5:00 pm	2018-05-17 @ 6:00 pm	0.7 ± 0.3	2018-05-21
9044408	OFFICE 147A	2018-05-15 @ 5:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9045005	OFFICE 149B	2018-05-14 @ 8:00 pm	2018-05-17 @ 4:00 pm	< 0.3	2018-05-21
9044273	OFFICE 406	2018-05-14 @ 5:00 pm	2018-05-17 @ 1:00 pm	< 0.3	2018-05-21
9044274	OFFICE 406B	2018-05-14 @ 5:00 pm	2018-05-17 @ 1:00 pm	1.5 ± 0.3	2018-05-21
9044271	OFFICE 408	2018-05-14 @ 5:00 pm	2018-05-17 @ 1:00 pm	< 0.3	2018-05-21
9044272	OFFICE 408A	2018-05-14 @ 5:00 pm	2018-05-17 @ 1:00 pm	0.6 ± 0.3	2018-05-21
9044252	OFFICE 452	2018-05-14 @ 4:00 pm	2018-05-17 @ 1:00 pm	< 0.3	2018-05-21
9044253	OFFICE 454	2018-05-14 @ 4:00 pm	2018-05-17 @ 12:00 pm	< 0.3	2018-05-21
9044262	OFFICE 460	2018-05-14 @ 4:00 pm	2018-05-17 @ 1:00 pm	< 0.3	2018-05-21
9044259	OFFICE 469	2018-05-14 @ 4:00 pm	2018-05-17 @ 1:00 pm	< 0.3	2018-05-21
9045063	PAW PLACE 107	2018-05-14 @ 9:00 pm	2018-05-17 @ 5:00 pm	< 0.3	2018-05-21
9045064	PAW PLACE STORAGE 107	2018-05-14 @ 9:00 pm	2018-05-17 @ 5:00 pm	< 0.3	2018-05-21
9044405	POLICE ROOM 145A	2018-05-15 @ 5:00 pm	2018-05-17 @ 5:00 pm	< 0.3	2018-05-21
9044406	POLICE ROOM 145B	2018-05-15 @ 5:00 pm	2018-05-17 @ 5:00 pm	< 0.3	2018-05-21
9045091	ROOM 082	2018-05-14 @ 10:00 pm	2018-05-17 @ 6:00 pm	0.6 ± 0.3	2018-05-21
9045093	ROOM 084	2018-05-14 @ 10:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9045094	ROOM 086	2018-05-14 @ 10:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9045097	ROOM 088	2018-05-14 @ 10:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9045096	ROOM 088	2018-05-14 @ 10:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9044751	ROOM 089	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044757	ROOM 089A	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044756	ROOM 089B	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044753	ROOM 089C	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044755	ROOM 089D	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044754	ROOM 089E	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044752	ROOM 089F	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044738	ROOM 094	2018-05-14 @ 6:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044401	ROOM 097	2018-05-15 @ 5:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9045057	ROOM 100	2018-05-14 @ 9:00 pm	2018-05-17 @ 2:00 pm	0.6 ± 0.3	2018-05-21
9045058	ROOM 100	2018-05-14 @ 9:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9045060	ROOM 100A OFFICE	2018-05-14 @ 9:00 pm	2018-05-17 @ 2:00 pm	0.5 ± 0.3	2018-05-21

**** LABORATORY ANALYSIS REPORT ****Radon test result report for:

**EAST AURORA HIGH SCHOOL
500 TOMCAT AVENUE, AURORA, IL**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9045059	ROOM 100B STORAGE	2018-05-14 @ 9:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9044703	ROOM 1013	2018-05-14 @ 6:00 pm	2018-05-17 @ 2:00 pm	1.2 ± 0.3	2018-05-21
9044704	ROOM 1014	2018-05-14 @ 6:00 pm	2018-05-17 @ 2:00 pm	0.8 ± 0.3	2018-05-21
9045061	ROOM 102	2018-05-14 @ 9:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9044723	ROOM 103	2018-05-14 @ 6:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9044724	ROOM 103	2018-05-14 @ 6:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9044725	ROOM 103C	2018-05-14 @ 6:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9044726	ROOM 103C	2018-05-14 @ 6:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9044727	ROOM 103D	2018-05-14 @ 6:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9044728	ROOM 103E	2018-05-14 @ 6:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9045068	ROOM 105A	2018-05-14 @ 9:00 pm	2018-05-17 @ 5:00 pm	< 0.3	2018-05-21
9044786	ROOM 173	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044779	ROOM 177	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044760	ROOM 189	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044761	ROOM 191	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044281	ROOM 400A	2018-05-14 @ 5:00 pm	2018-05-17 @ 1:00 pm	< 0.3	2018-05-21
9044235	ROOM 400B	2018-05-14 @ 5:00 pm	2018-05-17 @ 1:00 pm	< 0.3	2018-05-21
9044236	ROOM 400B	2018-05-14 @ 5:00 pm	2018-05-17 @ 1:00 pm	< 0.3	2018-05-21
9044261	ROOM 464	2018-05-14 @ 4:00 pm	2018-05-17 @ 1:00 pm	< 0.3	2018-05-21
9044276	ROOM 465	2018-05-14 @ 5:00 pm	2018-05-17 @ 1:00 pm	1.0 ± 0.3	2018-05-21
9044248	ROOM 506	2018-05-14 @ 4:00 pm	2018-05-17 @ 12:00 pm	3.7 ± 0.4	2018-05-21
9044759	ROOM 51	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	0.6 ± 0.3	2018-05-21
9045071	ROOM B081E	2018-05-14 @ 10:00 pm	2018-05-17 @ 5:00 pm	0.5 ± 0.3	2018-05-21
9045082	ROOM B081K	2018-05-14 @ 10:00 pm	2018-05-17 @ 5:00 pm	0.8 ± 0.3	2018-05-21
9045034	SERVING ROOM 105E	2018-05-14 @ 9:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9045035	SERVING ROOM 105E	2018-05-14 @ 9:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9044702	SHIP&APOS;S MESS 1012E	2018-05-14 @ 6:00 pm	2018-05-17 @ 2:00 pm	1.2 ± 0.3	2018-05-21
9044717	SIMULATION ROOM 1033A	2018-05-14 @ 6:00 pm	2018-05-17 @ 2:00 pm	0.8 ± 0.3	2018-05-21
9044716	SIMULATION ROOM 1033B	2018-05-14 @ 6:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9044284	SMALL GYMNASIUM 471	2018-05-14 @ 5:00 pm	2018-05-17 @ 1:00 pm	< 0.3	2018-05-21
9044285	SMALL GYMNASIUM 471	2018-05-14 @ 5:00 pm	2018-05-17 @ 1:00 pm	0.8 ± 0.3	2018-05-21
9044287	SMALL GYMNASIUM STORAGE 471A	2018-05-14 @ 5:00 pm	2018-05-17 @ 1:00 pm	< 0.3	2018-05-21
9045092	STORAGE 082A	2018-05-14 @ 10:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9045095	STORAGE 084A	2018-05-14 @ 10:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9045099	STORAGE 088A	2018-05-14 @ 10:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9044721	STORAGE 1003	2018-05-14 @ 6:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9044701	STORAGE 1012D	2018-05-14 @ 6:00 pm	2018-05-17 @ 2:00 pm	2.6 ± 0.4	2018-05-21

**** LABORATORY ANALYSIS REPORT ****Radon test result report for:

**EAST AURORA HIGH SCHOOL
500 TOMCAT AVENUE, AURORA, IL**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9045038	STORAGE 108	2018-05-14 @ 9:00 pm	2018-05-17 @ 2:00 pm	< 0.3	2018-05-21
9044275	STORAGE 130A	2018-05-14 @ 5:00 pm	2018-05-17 @ 1:00 pm	< 0.3	2018-05-21
9045027	STORAGE 139A	2018-05-14 @ 8:00 pm	2018-05-17 @ 5:00 pm	< 0.3	2018-05-21
9045028	STORAGE 139B	2018-05-14 @ 8:00 pm	2018-05-17 @ 5:00 pm	< 0.3	2018-05-21
9044409	STORAGE 147B	2018-05-15 @ 5:00 pm	2018-05-17 @ 6:00 pm	0.6 ± 0.3	2018-05-21
9044766	STORAGE 190A	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044765	STORAGE 190A	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044438	STORAGE 263A	2018-05-15 @ 6:00 pm	2018-05-17 @ 6:00 pm	0.6 ± 0.3	2018-05-21
9044455	STORAGE 266A	2018-05-15 @ 6:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9044270	STORAGE 403	2018-05-14 @ 5:00 pm	2018-05-17 @ 1:00 pm	< 0.3	2018-05-21
9044269	STORAGE 403	2018-05-14 @ 5:00 pm	2018-05-17 @ 1:00 pm	< 0.3	2018-05-21
9044260	STORAGE 467	2018-05-14 @ 4:00 pm	2018-05-17 @ 1:00 pm	< 0.3	2018-05-21
9045084	STORAGE B081A (EAST)	2018-05-14 @ 10:00 pm	2018-05-17 @ 5:00 pm	1.9 ± 0.3	2018-05-21
9045085	STORAGE B081A (EAST)	2018-05-14 @ 10:00 pm	2018-05-17 @ 5:00 pm	1.9 ± 0.3	2018-05-21
9045086	STORAGE B081A (EAST)	2018-05-14 @ 10:00 pm	2018-05-17 @ 5:00 pm	1.7 ± 0.3	2018-05-21
9045087	STORAGE B081A (WEST)	2018-05-14 @ 10:00 pm	2018-05-17 @ 6:00 pm	2.1 ± 0.3	2018-05-21
9045073	STORAGE B081B	2018-05-14 @ 10:00 pm	2018-05-17 @ 5:00 pm	2.2 ± 0.3	2018-05-21
9045072	STORAGE B081B	2018-05-14 @ 10:00 pm	2018-05-17 @ 5:00 pm	1.0 ± 0.3	2018-05-21
9045069	STORAGE B081D	2018-05-14 @ 10:00 pm	2018-05-17 @ 5:00 pm	1.2 ± 0.3	2018-05-21
9045079	STORAGE B081F	2018-05-14 @ 10:00 pm	2018-05-17 @ 5:00 pm	< 0.3	2018-05-21
9045076	STORAGE B081H	2018-05-14 @ 10:00 pm	2018-05-17 @ 5:00 pm	< 0.3	2018-05-21
9045075	STORAGE B081H	2018-05-14 @ 10:00 pm	2018-05-17 @ 5:00 pm	< 0.3	2018-05-21
9045078	STORAGE B081H (NORTH)	2018-05-14 @ 10:00 pm	2018-05-17 @ 5:00 pm	0.7 ± 0.3	2018-05-21
9045077	STORAGE B081H (SOUTH)	2018-05-14 @ 10:00 pm	2018-05-17 @ 5:00 pm	< 0.3	2018-05-21
9045083	STORAGE B081L	2018-05-14 @ 10:00 pm	2018-05-17 @ 5:00 pm	0.5 ± 0.3	2018-05-21
9045031	STORAGE B151B	2018-05-14 @ 8:00 pm	2018-05-17 @ 5:00 pm	< 0.3	2018-05-21
9045032	STORAGE B151E	2018-05-14 @ 8:00 pm	2018-05-17 @ 5:00 pm	0.9 ± 0.3	2018-05-21
9045033	STORAGE B151E	2018-05-14 @ 8:00 pm	2018-05-17 @ 5:00 pm	1.3 ± 0.3	2018-05-21
9045010	STORAGE ROOM 144C	2018-05-14 @ 8:00 pm	2018-05-17 @ 4:00 pm	1.2 ± 0.3	2018-05-21
9045008	STORAGE ROOM 149	2018-05-14 @ 8:00 pm	2018-05-17 @ 4:00 pm	< 0.3	2018-05-21
9044744	STUDENT SERVICES OFFICE 092	2018-05-14 @ 7:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044729	TEACHER&APOS;S LOUNGE 111	2018-05-14 @ 6:00 pm	2018-05-17 @ 3:00 pm	< 0.3	2018-05-21
9044706	VAULT 1012B	2018-05-14 @ 6:00 pm	2018-05-17 @ 2:00 pm	2.7 ± 0.4	2018-05-21
9044410	WELDING ROOM 147	2018-05-15 @ 5:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9044411	WELDING ROOM 147	2018-05-15 @ 5:00 pm	2018-05-17 @ 6:00 pm	< 0.3	2018-05-21
9044718	WILL CALL/TICKET ROOM	2018-05-14 @ 6:00 pm	2018-05-17 @ 2:00 pm	0.6 ± 0.3	2018-05-21
9044711	WORKOUT ROOM 1022	2018-05-14 @ 6:00 pm	2018-05-17 @ 2:00 pm	1.3 ± 0.3	2018-05-21

APPENDIX C

Radon Measurement Professional License

Bruce Rauner
Governor

James K. Joseph
Director

State of Illinois

IEMA Division of Nuclear Safety

Pursuant to the Radon Industry Licensing Act, 420 ILCS 44 et seq. and 32 Illinois Administrative Code 422, Licensing of Radon Detection and Mitigation Services, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued.

This is to certify that **Nicole Bennett**

License Number **RNI2016213**

has met the requirements for **Radon Measurement Professional**

Issued - Expires **05/18/2016 - 05/31/2021**

Limited to **Radon measurements of residential real estate, home environment, school and commercial buildings only.**



161391001

A handwritten signature in blue ink that reads "Patrick I. Daniels".

Patrick I. Daniels, Radon Program